



April 15, 2020

CLEAN LABEL PROJECT

280 E. 1st Ave. #873
 Broomfield, CO 80338-0873

Order No. 512837
 Sample No. 1048302

SAMPLE INFORMATION

Description Coco Open Mind Good Care Bond Days Vaay
Category (Type) Other
Received April 09, 2020

ANALYTICAL RESULTS

Analysis Pesticide Residue Screen ✔ Pass
Instrument Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)
Method MF 21P030
Analysis Date April 09, 2020 to April 15, 2020

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.04/0.10	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.04/0.10	ND	5.0	Pass
Aldicarb	0.04/0.10	ND	0.04	Pass
Azoxystrobin	0.04/0.10	ND	40.0	Pass
Bifenazate	0.04/0.10	ND	5.0	Pass
Bifenthrin	0.20/0.50	ND	0.5	Pass
Boscalid	0.04/0.10	ND	10.0	Pass
Captan	0.25/0.70	ND	5.0	Pass
Carbaryl	0.20/0.50	ND	0.5	Pass
Carbofuran	0.04/0.10	ND	0.04	Pass
Chlorantraniliprole	0.04/0.10	ND	40.0	Pass
Chlordane	0.04/0.10	ND	0.04	Pass
Chlorfenapyr	0.04/0.10	ND	0.04	Pass
Chlorpyrifos	0.04/0.10	ND	0.04	Pass
Clofentezine	0.04/0.10	ND	0.5	Pass
Coumaphos	0.04/0.10	ND	0.04	Pass
Cyfluthrin	0.70/2.00	ND	1.0	Pass
Cypermethrin	0.35/1.00	ND	1.0	Pass
Daminozide	0.04/0.10	ND	0.04	Pass
DDVP (Dichlorvos)	0.04/0.10	ND	0.04	Pass
Diazinon	0.04/0.10	ND	0.2	Pass
Dimethoate	0.04/0.10	ND	0.04	Pass
Dimethomorph	0.04/0.10	ND	20.0	Pass
Ethoprop(hos)	0.04/0.10	ND	0.04	Pass
Etofenprox	0.04/0.10	ND	0.04	Pass
Etoxazole	0.04/0.10	ND	1.5	Pass
Fenhexamid	0.04/0.10	ND	10.0	Pass
Fenoxycarb	0.04/0.10	ND	0.04	Pass

If there are any questions with this report, please contact "compliance@anresco.com".

page 1 of 5

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Fenpyroximate	0.04/0.10	ND	2.0	Pass
Fipronil	0.04/0.10	ND	0.04	Pass
Flonicamid	0.04/0.10	ND	2.0	Pass
Fludioxanil	0.04/0.10	ND	30.0	Pass
Hexythiazox	0.04/0.10	ND	2.0	Pass
Imazalil	0.04/0.10	ND	0.04	Pass
Imidacloprid	0.04/0.10	ND	3.0	Pass
Kresoxim Methyl	0.04/0.10	ND	1.0	Pass
Malathion	0.20/0.50	ND	5.0	Pass
Metalaxyl	0.04/0.10	ND	15.0	Pass
Methiocarb	0.04/0.10	ND	0.04	Pass
Methomyl	0.04/0.10	ND	0.1	Pass
Methyl parathion	0.04/0.10	ND	0.04	Pass
Mevinphos	0.04/0.10	ND	0.04	Pass
Myclobutanil	0.04/0.10	ND	9.0	Pass
Naled	0.04/0.10	ND	0.5	Pass
Oxamyl	0.20/0.50	ND	0.2	Pass
Paclobutrazol	0.04/0.10	ND	0.04	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.20/0.50	ND	20.0	Pass
Phosmet	0.04/0.10	ND	0.2	Pass
Piperonyl Butoxide	0.04/0.10	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.04/0.10	ND	20.0	Pass
Propoxur	0.04/0.10	ND	0.04	Pass
Pyrethrins	0.20/0.50	ND	1.0	Pass
Pyridaben	0.04/0.10	ND	3.0	Pass
Spinetoram	0.04/0.10	ND	3.0	Pass
Spinosad	0.04/0.10	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.04/0.10	ND	13.0	Pass
Spiroxamine	0.04/0.10	ND	0.04	Pass
Tebuconazole	0.04/0.10	ND	2.0	Pass
Thiacloprid	0.04/0.10	ND	0.04	Pass
Thiamethoxam	0.35/1.00	ND	4.5	Pass
Trifloxystrobin	0.04/0.10	ND	30.0	Pass
Acetochlor	0.04-0.20 / 0.1-0.5	ND	-	-
Alachlor	0.04-0.20 / 0.1-0.5	ND	-	-
Aldicarb Sulfone	0.04-0.20 / 0.1-0.5	ND	-	-
Aldicarb sulfoxide*	0.04-0.20 / 0.1-0.5	ND	-	-
Aldrin*	0.04-0.20 / 0.1-0.5	ND	-	-
Atrazine	0.04-0.20 / 0.1-0.5	ND	-	-
Benfluralin	0.04-0.20 / 0.1-0.5	ND	-	-
BHC alpha	0.04-0.20 / 0.1-0.5	ND	-	-
BHC beta	0.04-0.20 / 0.1-0.5	ND	-	-
Bitertanol	0.04-0.20 / 0.1-0.5	ND	-	-
Buprofezin	0.04-0.20 / 0.1-0.5	ND	-	-
Carbendazim (MBC)	0.04-0.20 / 0.1-0.5	ND	-	-
Carfentrazone ethyl	0.04-0.20 / 0.1-0.5	ND	-	-
Chlorobenzilate	0.04-0.20 / 0.1-0.5	ND	-	-

If there are any questions with this report, please contact "compliance@anresco.com".

page 2 of 5

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Chlorotoluron	0.04-0.20 / 0.1-0.5	ND	-	-
Chlorpropham	0.04-0.20 / 0.1-0.5	ND	-	-
Chlorpyrifos methyl	0.04-0.20 / 0.1-0.5	ND	-	-
Chlorthiophos	0.04-0.20 / 0.1-0.5	ND	-	-
Clethodim	0.04-0.20 / 0.1-0.5	ND	-	-
Clomazone	0.04-0.20 / 0.1-0.5	ND	-	-
Clothianidin	0.04-0.20 / 0.1-0.5	ND	-	-
Cyazofamid*	0.04-0.20 / 0.1-0.5	ND	-	-
Cymoxanil*	0.04-0.20 / 0.1-0.5	ND	-	-
Cyprodinil*	0.04-0.20 / 0.1-0.5	ND	-	-
Cyromazine	0.04-0.20 / 0.1-0.5	ND	-	-
DCPA (Dacthal)	0.04-0.20 / 0.1-0.5	ND	-	-
Diallate	0.04-0.20 / 0.1-0.5	ND	-	-
Dieldrin	0.04-0.20 / 0.1-0.5	ND	-	-
Diflubenzuron	0.04-0.20 / 0.1-0.5	ND	-	-
Dimethachlor	0.04-0.20 / 0.1-0.5	ND	-	-
Diniconazole	0.04-0.20 / 0.1-0.5	ND	-	-
Dinotefuran	0.04-0.20 / 0.1-0.5	ND	-	-
Diphenamid	0.04-0.20 / 0.1-0.5	0.0483	-	-
Diphenylamine (DPA)	0.04-0.20 / 0.1-0.5	ND	-	-
Diuron	0.04-0.20 / 0.1-0.5	ND	-	-
Esfenvalerate	0.04-0.20 / 0.1-0.5	ND	-	-
Ethalfuralin	0.04-0.20 / 0.1-0.5	ND	-	-
Ethylan	0.04-0.20 / 0.1-0.5	ND	-	-
Etridazole*	0.04-0.20 / 0.1-0.5	ND	-	-
Fenarimol	0.04-0.20 / 0.1-0.5	ND	-	-
Fenbuconazole	0.04-0.20 / 0.1-0.5	ND	-	-
Fenpropimorph	0.04-0.20 / 0.1-0.5	ND	-	-
Fenthion	0.04-0.20 / 0.1-0.5	ND	-	-
Fenvalerate	0.04-0.20 / 0.1-0.5	ND	-	-
Fluazifop-P-butyl	0.04-0.20 / 0.1-0.5	ND	-	-
Flubendiamide	0.04-0.20 / 0.1-0.5	ND	-	-
Fluchloralin	0.04-0.20 / 0.1-0.5	ND	-	-
Flucythrinate	0.04-0.20 / 0.1-0.5	ND	-	-
Fluoxastrobin	0.04-0.20 / 0.1-0.5	ND	-	-
Flusilazole	0.04-0.20 / 0.1-0.5	ND	-	-
Flutolanil	0.04-0.20 / 0.1-0.5	ND	-	-
Flutriafol	0.04-0.20 / 0.1-0.5	ND	-	-
Fonofos*	0.04-0.20 / 0.1-0.5	ND	-	-
Formetanate Hydrochloride	0.04-0.20 / 0.1-0.5	ND	-	-
Heptachlor	0.04-0.20 / 0.1-0.5	ND	-	-
Hexachlorobenzene	0.04-0.20 / 0.1-0.5	ND	-	-
Hexaconazole	0.04-0.20 / 0.1-0.5	ND	-	-
Hexazinone	0.04-0.20 / 0.1-0.5	ND	-	-
3-Hydroxycarbofuran	0.04-0.20 / 0.1-0.5	ND	-	-
Indoxacarb*	0.04-0.20 / 0.1-0.5	ND	-	-
Isazophos	0.04-0.20 / 0.1-0.5	ND	-	-
Isopropalin	0.04-0.20 / 0.1-0.5	ND	-	-
Isoproturon	0.04-0.20 / 0.1-0.5	ND	-	-
Lindane	0.04-0.20 / 0.1-0.5	ND	-	-

If there are any questions with this report, please contact "compliance@anresco.com".

page 3 of 5

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Linuron*	0.04-0.20 / 0.1-0.5	ND	-	-
Mandipropamid	0.04-0.20 / 0.1-0.5	ND	-	-
Methamidophos	0.04-0.20 / 0.1-0.5	ND	-	-
Methoxychlor*	0.04-0.20 / 0.1-0.5	ND	-	-
4-4'-Methoxychlor olefin	0.04-0.20 / 0.1-0.5	ND	-	-
Methoxyfenozide	0.04-0.20 / 0.1-0.5	ND	-	-
Metolachlor	0.04-0.20 / 0.1-0.5	ND	-	-
MGK 264*	0.04-0.20 / 0.1-0.5	ND	-	-
Mirex*	0.04-0.20 / 0.1-0.5	ND	-	-
Novaluron	0.04-0.20 / 0.1-0.5	ND	-	-
5-OH Thiabendazole*	0.04-0.20 / 0.1-0.5	ND	-	-
Omethoate*	0.04-0.20 / 0.1-0.5	ND	-	-
Oxadiazon	0.04-0.20 / 0.1-0.5	ND	-	-
Oxyflourfen	0.04-0.20 / 0.1-0.5	ND	-	-
Parathion	0.04-0.20 / 0.1-0.5	ND	-	-
Pebulate*	0.04-0.20 / 0.1-0.5	ND	-	-
Penconazole	0.04-0.20 / 0.1-0.5	ND	-	-
Pendimethalin	0.04-0.20 / 0.1-0.5	ND	-	-
Pentachloroaniline	0.04-0.20 / 0.1-0.5	ND	-	-
Pentachloroanisole	0.04-0.20 / 0.1-0.5	ND	-	-
Pentachlorobenzene	0.04-0.20 / 0.1-0.5	ND	-	-
Pentachlorobenzonitrile	0.04-0.20 / 0.1-0.5	ND	-	-
2-Phenylphenol	0.04-0.20 / 0.1-0.5	ND	-	-
Pirimicarb	0.04-0.20 / 0.1-0.5	ND	-	-
Pirimiphos-ethyl	0.04-0.20 / 0.1-0.5	ND	-	-
Pirimiphos methyl	0.04-0.20 / 0.1-0.5	ND	-	-
Pretilachlor	0.04-0.20 / 0.1-0.5	ND	-	-
Prochloraz*	0.04-0.20 / 0.1-0.5	ND	-	-
Procymidone	0.04-0.20 / 0.1-0.5	ND	-	-
Propamocarb	0.04-0.20 / 0.1-0.5	ND	-	-
Propargite	0.04-0.20 / 0.1-0.5	ND	-	-
Propisochlor	0.04-0.20 / 0.1-0.5	ND	-	-
Propyzamide	0.04-0.20 / 0.1-0.5	ND	-	-
Prothiofos	0.04-0.20 / 0.1-0.5	ND	-	-
Pymetrozine	0.04-0.20 / 0.1-0.5	ND	-	-
Pyraclostrobin	0.04-0.20 / 0.1-0.5	ND	-	-
Pyrimethanil	0.04-0.20 / 0.1-0.5	ND	-	-
Pyriproxyfen	0.04-0.20 / 0.1-0.5	ND	-	-
Quinalphos	0.04-0.20 / 0.1-0.5	ND	-	-
Quintozene	0.04-0.20 / 0.1-0.5	ND	-	-
Sulfentrazone	0.04-0.20 / 0.1-0.5	ND	-	-
Sulfotep	0.04-0.20 / 0.1-0.5	ND	-	-
Tau-Fluvalinate	0.04-0.20 / 0.1-0.5	ND	-	-
Tebufozide	0.04-0.20 / 0.1-0.5	ND	-	-
Tecnazene	0.04-0.20 / 0.1-0.5	ND	-	-
Tefluthrin	0.04-0.20 / 0.1-0.5	ND	-	-
Terbutylazine	0.04-0.20 / 0.1-0.5	ND	-	-
Tetrachloroaniline	0.04-0.20 / 0.1-0.5	ND	-	-
Tetradifon	0.04-0.20 / 0.1-0.5	ND	-	-
Thiobencarb	0.04-0.20 / 0.1-0.5	ND	-	-

If there are any questions with this report, please contact "compliance@anresco.com".

page 4 of 5

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Tolclofos-methyl	0.04-0.20 / 0.1-0.5	ND	-	-
Transfluthrin	0.04-0.20 / 0.1-0.5	ND	-	-
Triadimefon	0.04-0.20 / 0.1-0.5	ND	-	-
Triallate	0.04-0.20 / 0.1-0.5	ND	-	-
Trichlorfon	0.04-0.20 / 0.1-0.5	ND	-	-
Tricyclazole	0.04-0.20 / 0.1-0.5	ND	-	-
Triflumizole	0.04-0.20 / 0.1-0.5	ND	-	-
Trifluralin	0.04-0.20 / 0.1-0.5	ND	-	-
Vamidothion	0.04-0.20 / 0.1-0.5	ND	-	-
Vinclozolin	0.04-0.20 / 0.1-0.5	ND	-	-

Reported by
Anresco, Inc.



Eric Tam
Senior Chemist

April 15, 2020

ND = None Detected
<LOQ = Below Limit of Quantitation
<LOD = Below Limit of Detection

April 15, 2020

CLEAN LABEL PROJECT

280 E. 1st Ave. #873
Broomfield, CO 80338-0873

Order No. 512837
Sample No. 1048302

SAMPLE INFORMATION

Description Coco Open Mind Good Care Bond Days Vaay
Category (Type) Other
Received April 09, 2020

ANALYTICAL RESULTS

Analysis Heavy Metal Screen  Pass
Instrument ICP-MS
Method MF 24E020
Analysis Date April 09, 2020 to April 15, 2020

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Lead	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3.0	Pass

Reported by
Anresco, Inc.



Eric Tam
Senior Chemist

April 15, 2020

ND = None Detected
<LOQ = Below Limit of Quantitation
<LOD = Below Limit of Detection

April 14, 2020

CLEAN LABEL PROJECT

280 E. 1st Ave. #873
 Broomfield, CO 80338-0873

Order No. 512837
 Sample No. 1048302

SAMPLE INFORMATION

Description Coco Open Mind Good Care Bond Days Vaay
Category (Type) Other
Received April 09, 2020

ANALYTICAL RESULTS

Analysis Residual Solvent Screen ✔ Pass
Instrument Gas Chromatography Mass Spectrometry (GC/MS)
Method USP OVI<467>
Analysis Date April 09, 2020 to April 14, 2020

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
1,2-Dichloroethane	0.10/1.00	ND	1.0	Pass
Acetone	11/150	ND	5000	Pass
Acetonitrile	1/12	ND	410	Pass
Benzene	0.10/1.00	ND	1.0	Pass
n-Butane	130/400	ND	5000	Pass
Chloroform	0.10/1.00	ND	1.0	Pass
Ethanol	13/200	ND	5000	Pass
Ethyl Acetate	5/80	ND	5000	Pass
Ethyl Ether	17/50	ND	5000	Pass
Ethylene Oxide	0.50/1.00	ND	1.0	Pass
n-Heptane	15/100	ND	5000	Pass
n-Hexane	2/10	ND	290	Pass
Isopropyl Alcohol	5/100	ND	5000	Pass
Methanol	3/50	<LOQ	3000	Pass
Methylene Chloride	0.50/1.00	ND	1.0	Pass
n-Pentane	26/150	ND	5000	Pass
Propane	170/510	ND	5000	Pass
Toluene	2/30	ND	890	Pass
Total Xylenes	5/90	ND	2170	Pass
Trichloroethylene	0.10/1.00	ND	1.0	Pass

Reported by
Anresco, Inc.

ND = None Detected
 <LOQ = Below Limit of Quantitation
 <LOD = Below Limit of Detection




Darryl Cudia
 Analyst

April 14, 2020

If there are any questions with this report, please contact "compliance@anresco.com".

page 1 of 1

April 15, 2020

CLEAN LABEL PROJECT

280 E. 1st Ave. #873
 Broomfield, CO 80338-0873

Order No. 512837
 Sample No. 1048302

SAMPLE INFORMATION

Description Coco Open Mind Good Care Bond Days Vaay
Category (Type) Other
Received April 09, 2020

ANALYTICAL RESULTS

Analysis Cannabinoid Profile
Instrument Liquid Chromatography Diode Array Detector (LC-DAD)
Method MF12D012
Analysis Date April 09, 2020 to April 15, 2020

Analyte	mg/g	%	mg/ml	Status
Δ8-THC	ND	ND	ND	-
Δ9-THC	ND	ND	ND	-
Δ9-THCA	ND	ND	ND	-
THCV	ND	ND	ND	-
THCVA	ND	ND	ND	-
CBD	57.72	5.772	54.21	-
CBDA	ND	ND	ND	-
CBC	ND	ND	ND	-
CBCA	ND	ND	ND	-
CBDV	ND	ND	ND	-
CBG	1.19	0.119	1.12	-
CBGA	ND	ND	ND	-
CBN	ND	ND	ND	-
Total THC	ND	ND	ND	-
Total CBD	57.72	5.772	54.21	-
Total Cannabinoids	58.91	5.891	55.33	-
Total Active Cannabinoids	58.91	5.891	55.33	-
g/ml Conversion Factor	0.93918			

Reported by
Anresco, Inc.



Eric Tam
 Senior Chemist

April 15, 2020

Limit of Quantitation: 1.0 mg/g
 Limit of Detection: 0.4 mg/g
 ND = None Detected
 <LOQ = Below Limit of Quantitation
 <LOD = Below Limit of Detection